# Downton Abbey® **Lady Rose**




FABRICS BY KATHY HALL





Crown of Roses Quilt Design: **Heidi Pridemore** Quilt Size: 64" x 80" andoverfabrics.com








## About Lady Rose

Downton™ and Downton Abbey®. ©2014 Carnival Film & Television Limited. All Rights Reserved.







**Fabric** 

7611-B

7614-BP

Introducing Andover Fabrics new Collection: DOWNTON ABBEY by Kathy Hall Quilt designed by Heidi Pridemore

<b>~</b> ···				11
Quilt	tini	shed	64'' x	8റ''

Lady Rose is a high-spirited complex character that adds energy to the show. This quilt block embraces her personality. She is the queen of the party and every queen deserves a crown. The blocks are made with p

#### C

queen deserbes a crown. The blocks are made with		Fabricb	DIOCKS	/8 yaru	1014-DE	
traditional piecing techniques and is a wonderful		Fabric C	blocks	1 1/4 yards	7601-B	
project for an advanced beginner.		Fabric D	blocks,			
			border corners	1½ yards	7613-B	
Cutting Directions		Fabric E	blocks	½ yard	7616-EC	
Note: Read assembly directions before cutting		Fabric F	blocks, binding	1 yard	7616-BP	
patches. Borders are cut to exact length required		Fabric G	blocks	1/4 yard	7614-EC	
plus ½" seam allowance. WOF designates the width of		Fabric H	blocks	1 1/8 yards	7330-OGL	
fabric from selvedge to selvedge (approximately 42"		Fabric I	inner border	2 yards	7615-B*	
wide).		Fabric J	outer border	1 1/3 yards	7612-B*	
		Fabric K	blocks	1/4 yard	7613-E	
Fabric A	Fussy cut (12) 6 ½" squares, each	Fabric L	blocks	²∕₃ yard	7616-EG	
	centered on a row of roses.	Backing	clouds – blue	5 yards	7598-B	
		J	*fabria is direct	•		
Fabric B	Cut (6) 4 ½" x WOF strips. Sub-cut the	Tieless's II	*fabric is directional.  Cut (7) 2 1/8" x WOF strips. Sub-cut the			
	strips into (48) $4\frac{1}{2}$ " squares.	Fabric H		to (96) $2 \%$ s		
			_		s. Sub-cut the	
Fabric C	Cut (2) 12 ½" x WOF strips. Sub-cut			to (96) 2 ½" s		
	the strips into (24) $2\frac{1}{2}$ " x $12\frac{1}{2}$ "		strips in	.10 (00) \$ 72 8	equares.	
	strips.	Fabric I	Fussy cut (2) $3\frac{1}{2}$ " x 68" strips from the			
	Cut (2) 8 ½" x WOF strips. Sub-cut		length of fabric (LOF).			
the strips into (24) 2 ½" x 8 ½"			Fussy cut (2) $3\frac{1}{2}$ " x 58" LOF strips.			
	strips.		v		•	
Fabric D	Cut (6) 4 ½" x WOF strips. Sub-cut the	Fabric J	Fussy cut (4) 5 $\frac{1}{2}$ " x WOF strips. Sew the strips together, end to end using			
1 43110 2	strips into $(48)$ 4 $\frac{1}{2}$ squares.					
Cut (3) $4\frac{1}{2}$ " x WOF strips. Subcut the strips into (48) $2\frac{1}{2}$ " x $4\frac{1}{2}$ "			diagonal seams, and cut (2) $5\frac{1}{2}$ x 70 $\frac{1}{2}$ strips.			
	strips.		Fussy cut (3) 5 ½" x WOF strips. Sew the strips together, end to end using			
	Cut (1) 5 ½" x WOF strip. Sub-cut the					
strip into (4) 5 $\frac{1}{2}$ " squares.			diagonal seams, and cut			
			$(2) 5 \frac{1}{2}$	x 54 ½" strip:	S.	
Fabric E	Cut (4) $2 \frac{7}{8}$ " x WOF strips. Sub-cut the	Fabric K	Cu+ (2) 2 1/"	w WOE atnin	a Cub out the	
strips into (48) $2 \%$ " squares.		Fauric K	<b>abric K</b> Cut $(2) 2 \frac{1}{2}$ " x WOF strips. Sub-cut the strips into $(24) 2 \frac{1}{2}$ " squares.			
	G . (4) 0.7/11 THOT		ati pa III	.w (& <del>1</del> ) & /2 }	quares.	
Fabric F Cut (4) 2 1/8" x WOF strips. Sub-cut the strips into (48) 2 1/8" squares.  Cut (8) 2 1/2" x WOF strips for the		<b>Fabric L</b> Cut (1) 8 ½" x WOF strip. Su		Sub-cut the strip		
		into (24) 1 ½" x 8 ½" strips.				
			Cut (1) 6 ½" x WOF strip. Sub-cut the strip			
	binding.			) 1 ½" x 6 ½" s		
Fabric G	Cut (2) 2 ½" x WOF strips. Sub-cut the					
1 415110 G	strips into (24) 2 ½" squares.	Backing			. Sew the strips	
	3011p3 1110 (10 1) to /2 before obt		together	and trim to 1	nake (1)	

**Fabric Requirements** 

blocks

blocks

Fabric A

Fabric B

Yardage

5/8 yard

% vard


together and trim to make (1)

72" x 88" backing.

## Making the Quilt

#### 1. Block Assembly

Sew (1)  $1\frac{1}{2}$ " x  $6\frac{1}{2}$ " Fabric L strip to each side of (1)  $6\frac{1}{2}$ " Fabric A square. Sew (1)  $1\frac{1}{2}$ " x  $8\frac{1}{2}$ " Fabric L strip to the top and to the bottom of the Fabric A square to make one AL block (Diagram 1).



2. Place (1) 4 ½" Fabric B square on the top left corner of (1) AL block, right sides together (Diagram 2). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Diagram 2). Flip open the triangle formed and press (Diagram 3). Trim away the excess fabric from behind the triangle ¼" away from the sewn seam.







Diagram 3


**3.** Follow Diagram 4 for the seam direction to add a 4 ½" Fabric B square to each of the remaining corners of the AL block to make one BLA square (Diagram 5).




Diagram 4



**4.** Sew (1) 2 ½" x 8 ½" Fabric C strip to each side of (1) BLA square. Sew (1) 2 ½" x 12 ½" Fabric C strip to the top and bottom of the BLA square to make (1) Block center (Diagram 6).



**5.** Place (1) 4 ½" Fabric D square on the top left corner of the Block center, right sides together (Diagram 7). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Diagram 7). Flip open the triangle formed and press (Diagram 8). Trim away the excess fabric from behind the triangle ½" away from the sewn seam.







Diagram 7

Diagram 8

**6.** Follow Diagram 9 for the seam direction to add a 4 ½" Fabric D square to each of the remaining corners of the Block center. (Diagram 10).

make 12






Diagram 9

Diagram 10

- 7. Repeat Steps 1-6 to make (12) Block centers total (six will be used for Block One and six for Block Two).
- 8. Place (1) 2 1/8" Fabric F square on top of (1) 2 1/8" Fabric H square, right sides together. Draw a line across the diagonal of the top square. Sew 1/4" away from each side of the drawn diagonal line (Diagram 11). Cut the two squares apart on the drawn diagonal line (Diagram 12) to make (2) FH units (Diagram 13). Trim the FH units to measure 2 1/2" square. Repeat to make (96) FH units total.







make 96

Diagram 11

Diagram 12

Diagram 13

**9.** Repeat Step 8 using (48)  $2 \frac{1}{8}$  Fabric E squares and (48)  $2 \frac{1}{8}$  Fabric H squares to make (96)  $2 \frac{1}{2}$  EH units (Diagram 14).

make 96



Diagram 14

10. Place (1) 2 ½" Fabric H square on the left side of (1) 2 ½" x 4 ½" Fabric D strip, right sides together (Diagram 15). Sew across the diagonal of the square from the upper right corner to the lower left corner (Diagram 15). Flip open the triangle formed and press (Diagram 16). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance.







Diagram 15

Diagram 16


11. Place another 2 ½" Fabric H square on the right side of the 2 ½" x 4 ½" Fabric D strip, right sides together (Diagram 17). Sew across the diagonal of the square from the upper left corner to the lower right corner (Diagram 17). Flip open the triangle formed and press (Diagram 18). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make one HDH unit.






12. Repeat Steps 10 -11 to make (48) HDH units total.

13. Follow Diagram 19 and sew four 2 ½" Fabric G squares, (8) FH units, (8) EH units, (4) HDH units and (1) Block center to make (1) Block One. Repeat to make (6) Block Ones total.



**14.** Follow Diagram 20 and sew four 2 ½" Fabric K squares, (8) FH units, (8) EH units, (4) HDH units and (1) Block center to make (1) Block Two. Repeat to make (6) Block Twos total.



#### **Quilt Top**

Refer to Quilt Layout when assembling the quilt top.

- **15.** Sew (2) Block Ones and (1) Block Two together, alternating them, to make Row One. Pay attention to the orientation of rose rows in center of blocks. Repeat to make Row Three.
- **16.** Sew (2) Block Twos and (1) Block One together, alternating them, to make Row Two. Repeat to make Row Four.
- **17.** Sew the (4) rows together, in numerical order, to make the quilt top.

- 18. Center one 3 ½" x 68" Fabric I strip on one side of the quilt top and pin in place. Start sewing the strip a ¼" from the top edge of the quilt top and stop a ¼" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.
- 19. Repeat Step 18 to sew (1) 3 ½" x 58" Fabric I strip to the top and to the bottom of the quilt top, making sure to stop and start ¼" away from each end of the quilt top. To miter each corner, fold the quilt top on a diagonal, wrong side together. This should line up the strips from adjacent sides (Diagram 21).





Diagram 21


- 20. Starting at the sewn seam (represented by the arrow in Diagram 21), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a 1/4" seam. Repeat this step with the remaining corners.
- **21.** Sew (1) 5 ½" x 70 ½" Fabric J strip to each side of the quilt top. Sew (1) 5 ½" Fabric D square to each end of (1) 5 ½" x 54 ½" Fabric J strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the quilt top.

## Finishing the Quilt

**22.** Layer and quilt as desired. Sew the (8) 2 ½" x WOF Fabric F strips together, end to end with a 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press. Bind as desired.



Quilt Layout



## Downton Abbey<sup>®</sup> Lady Rose

FABRICS BY KATHY HALL

