
Frequency BY JUDY GAUTHIER






Over and Out Quilt designed by: Judy Gauthier Quilt Size: 74" x 74" andoverfabrics.com







About Frequency

When I was little, my mother used to give me her transistor radio in the morning. I would hear "Strangers in the Night" by Frank Sinatra, or Petula Clark singing "Downtown." It's one of my favorite memories. I knew that I would have to do something to honor the radio as we know it. — Judy Gauthier

andover



Free Pattern Download Available

1384 Broadway New York, NY 10018 Tel. (800) 223-5678 • andoverfabrics.com

Over and Out Quilt

Introducing Andover Fabrics new collection: **FREQUENCY** by Judy Gauthier Quilt designed by Judy Gauthier

Quilt finishes 74" x 74" 16 Block X: 10" x 10" 16 Block Y: 10" x 10" 4 Block Z: 10" x 10"

Retro colors and images pay homage to an earlier time when transistor radios were all the rage. The geometry in the design has a refreshing, original look. A bit of fused appliqué and blocks with few patches make this quilt quick to make.

Cutting Directions

Note: Read assembly directions before cutting patches. All measurements are cut sizes and include ¹/₄" seam allowances. A fat ¹/₄ is an 18" x 20"-22" cut. Borders are cut the exact lengths required plus ¹/₄" seam allowances. WOF designates the width of fabric from selvedge to selvedge (approximately 42" wide).


- Fabric ACut (16) template 1
Cut (16) template 1 reversed
Cut (16) template 3
Cut (16) template 3 reversed
Cut (4) 2" circles
- Fabric B Cut (16) template 5
- Fabric C Cut (7) strips 6¹/₂" x WOF, pieced to make the following:
 (2) top/bottom borders 6¹/₂" x 74¹/₂"
 (2) side borders 6¹/₂" x 62¹/₂"
- **Fabric D** Cut (16) template 6
- Fabric E Cut (7) strips 1¹/₂" x WOF, pieced to make the following:
 (2) top/bottom borders 1¹/₂" x 62¹/₂"
 (2) side borders 1¹/₂" x 60¹/₂"
 Cut (4) 4" circles
- **Fabric F** Cut (4) 8" circles
- Fabric GCut (16) template 4Cut (16) template 4 reversedCut (4) 6" circles
- Fabric HCut (8) strips 2½" x WOF for binding
Cut (4) squares 10½" x 10½"
Cut (16) template 2
Cut (16) template 2 reversed
- **Backing** Cut (2) panels 41" x 82", pieced to fit quilt top with overlap on all sides

Fabric Requirements

		rardage	Fabric
Fabric A	blocks	1½ yards	8495-E
Fabric B	blocks	1 yard	8496-C
Fabric C	borders	1½ yards	8498-CL
Fabric D	blocks	fat ¼ yard	8498-CN
Fabric E	border	¹∕₂ yard	8498-EG
Fabric F	appliqué	fat ¼ yard	8498-EY
Fabric G	blocks	1½ yards	8499-E
*Fabric H	blocks	2 yards	8500-CK
Backing		4¼ yards	8495-E
*includes binding			
Also needed: lightweight fusible webbing			

Making the Quilt

1. Mark sewing lines on the wrong side of templates 1-5 fabric patches. Refer to the Block X diagram. Matching sewing lines, join a Fabric A template 1 patch and a template 3 patch to sides of a Fabric H template 2 to make half the block. Repeat with the reversed patches to make the other half. Join the halves to make a Block X. Make 16.



Block X – Make 16

2. Referring to the Block Y diagram, sew Fabric G template 4 and template 4 reversed patches to the sides of a Fabric B template 5 patch. Repeat to make 16 Block Y.




Over and Out Quilt


- 3. These directions are for fused appliqué. Trace 4 of each circle motif onto the paper side of paper-backed fusible web. Trace 16 template 6. Following manufacturer's instructions, fuse traced patterns to the wrong side of the appropriate fabrics. Cut out parts on the drawn lines. Position the 8", 6", and 4" circles in the center of a 10½" Fabric H background square (Diagram 1). Fuse each circle to the square, following manufacturer's instructions. Finish the edges with invisible thread and a blind appliqué machine stitch.
- **4.** Fold the square in half horizontally and vertically, and lightly finger press the folds. Position 4 Fabric D patches on top of the circles with curved edges even and one side of each patch aligned with a fold line (Diagram 2). Finish the edges of the Fabric D patches as you wish. Add a 2" Fabric A circle in the center and finish the edges. Make 4 Block Z.
- **5.** Referring to the Quilt Diagram, arrange the blocks in 6 rows of 6 blocks each, turning blocks as needed to form the overall design. Join the blocks into rows, and then join the rows.


Finishing the Quilt


6. Layer the quilt with batting and backing and baste. Quilt in the ditch around borders and block patches. Quilt around the printed motifs in the blocks and outer border. Bind to finish the quilt.





Block Y – Make 16

















Frequency

BY JUDY GAUTHIER



8500-C

8500-CK*

8500-E

8500-EG

8500-WW

 \star Indicates fabrics used in quilt pattern. Fabrics shown are 15% of actual size.

8500-EY

andover:



Free Pattern Download Available

1384 Broadway New York, NY 10018 Tel. (800) 223-5678 • andoverfabrics.com

d