
# Deep Blue Sea

Sarah Maxwell





Shark Bite Quilt designed by: Sarah Maxwell
Quilt Size: 69" x 88 1/2" • Skill Level: Confident Beginner



1473-B10\*

1473-B10\*

137-B8

143-B

Featuring Andover Fabrics new Collection: Deep Blue Sea Quilt designed by Sarah Maxwell

Quilt finished 69" x 88 1/2"

# **Quilt Cutting Directions** (Blue Version)

Note: Read assembly directions before cutting patches. Borders are cut to exact length required plus 1/4" seam allowance. WOF designates the width of fabric from selvedge to selvedge (approximately 42" wide). LOF designates the length of fabric from cut edge to cut edge (yardage length).

Fabric A	Fussy cut (12) 10" squares each
	centered on a block.

Fabric B	Cut (1) 10" LOF strip. Sub-cut the
	strip into $(12) 2$ " x $10$ " strips.
	Cut (4) 2" WOF strips. Sub-cut the
	strips into (12) $2$ " x $11\frac{1}{2}$ " strips.

Fabric C	Cut (1) 11 1/2" LOF strip. Sub-cut the
	strip into (12) $2\frac{1}{2}$ " x $11\frac{1}{2}$ " strips.
	Cut (6) 2 1/2" WOF strips. Sub-cut the
	strips into (12) 2 ½" x 13 ½" strips.

Fabric D	Cut (1) 13 1/2" LOF strip. Sub-cut the
	strip into (12) $3$ " x $13\frac{1}{2}$ " strips.
	Cut (1) 16" LOF strips. Sub-cut the
	strips into (12) 3" x 16" strips.

Fabric E	Cut (1) 16" LOF strip. Sub-cut the
	strip into (12) 3" x 16" strips.
	Cut (6) 3" WOF strips. Sub-cut the
	strips into (12) $3$ " x $18\frac{1}{2}$ " strips.

Fabric F	Cut (1) 2" x WOF strip. Sub-cut the
	strip into (20) 2" squares.

Fabric G	Cut (16) 2" x WOF strips. Sub-cut
	the strips into (31) $2$ " x $18 \frac{1}{2}$ "
	strips.

Fabric H	$Cut(2) 5" \times 80" LOF strips.$
	From the remaining fabric, cut
	(2) 5" x 69 ½" WOF strips pied

as needed.

	•	•	•
Quilt		Yardage	Fabric
Fabric A	blocks	(2) Panels	145-B
Fabric B	blocks	5/8 yard	142-W
Fabric C	blocks	⅓ yard	140-B2
Fabric D	blocks	1 1/8 yards	144-B2
Fabric E	blocks	1 1/8 yards	138-B8
Fabric F	sashing	½ vard	1473-R4*

1/8 yard

1 yard

3/4 yard

2 1/3 yards

5½ yards

Fabric Requirements (Blue Version)

* T :	П	O . 11	
Linen	rexture	Collectio	n

Fabric G

Fabric H

**Binding** 

**Backing** 

sashing

borders

Backing	Cut (2) 97" x WOF strips. Sew the strips
	together and trim to make (1) 77" x 97"
	hacking

# Quilt Cutting Directions (White Version)

Note: Read assembly directions before cutting patches. Borders are cut to exact length required plus ¼" seam allowance. WOF designates the width of fabric from selvedge to selvedge (approximately 42" wide). LOF designates the length of fabric from cut edge to cut edge (yardage length).

Fabric A	Fussy cut (12) 10" squares each
	centered on a block

Fabric B	Cut (1) 10" LOF strip. Sub-cut the
	strip into $(12) 2$ " x 10" strips.
	Cut (1) 11 1/2" LOF strips. Sub-cut the
	strips into (12) $2$ " x $11\frac{1}{2}$ " strips.

Fabric C	Cut (1) 11½" LOF strip. Sub-cut the
	strip into (12) $2\frac{1}{2}$ " x $11\frac{1}{2}$ " strips.
	Cut (6) 21/2" WOF strips. Sub-cut the
	strips into (12) $2\frac{1}{2}$ " x $13\frac{1}{2}$ " strips.

Fabric D	Cut (1) 13 1/2" LOF strip. Sub-cut the
	strip into (12) $3$ " x $13\frac{1}{2}$ " strips.
	Cut (6) 3" WOF strips. Sub-cut the
	strips into (12) 3" x 16" strips.

Fabric E	Cut (1) 16" LOF strip. Sub-cut the
	strip into $(12)$ 3" x 16" strips.
	Cut (6) 3" WOF strips. Sub-cut the
	strips into (12) 3" x 18 ½" strips.

Fabric F	Cut (1) 2" x WOF strip. Sub-cut the
	strip into (20) 2" squares.

Fabric G	Cut (16) 2" x WOF strips. Sub-cut
	the strips into (31) $2$ " x $18\frac{1}{2}$ "
	strips.

Cut (2) 5" x 80" LOF strips.
From the remaining fabric, cut
(2) 5" x 69 $\frac{1}{2}$ " WOF strips, piece
as needed.

Backing	Cut (2) 97" x WOF strips. Sew the
	strips together and trim to make
	(1) 77" x 97" backing.

#### **Fabric Requirements (White Version)** Quilt **Yardage Fabric** Fabric A blocks (2) Panels 145-W Fabric B blocks 3/4 yard 144-B8 blocks Fabric C 1/8 vard 139-W Fabric D blocks 140-B2 1 1/8 yards Fabric E blocks 138-B2 1 1/8 yards Fabric F sashing 1473-R4\* 1/8 yard sashing Fabric G 1473-T4\* 1 yard Fabric H borders 137-B2 2 1/3 yards **Binding** 1473-T4\* 3/4 yard **Backing** 143-W $5\frac{1}{2}$ yards

<sup>\*</sup> Linen Texture Collection


### Making the Quilt (Blue Version)

Note: The arrows in diagrams represent the WOF fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.


#### 1. Block Assembly


Sew (1) 2" x 10" Fabric B strip to the bottom of (1) 10" Fabric A square. Sew (1) 2" x 11  $\frac{1}{2}$ " Fabric B strip to the right side of the Fabric A square to make (1) 11  $\frac{1}{2}$ " Unit 1 square (Diagram 1). Repeat to make (5) Unit 1 squares total.

2. Sew (1) 2 ½" x 11 ½" Fabric C strip to the bottom of (1) Unit 1 square. Sew (1) 2 ½" x 13 ½" Fabric C strip to the right side of the Unit 1 square to make (1) 13 ½" Unit 2 square (Diagram 2). Repeat to make (5) Unit 2 squares total.




- 3. Sew (1) 3" x 13 1/2" Fabric D strip to the bottom of (1) Unit 2 square. Sew (1) 3" x 16" Fabric D strip to the right side of the Unit 2 square to make (1) 16" Unit 3 square (Diagram 3). Repeat to make (5) Unit 3 squares total.
- 4. Sew (1) 3" x 16" Fabric E strip to the bottom of (1) Unit 3 square. Sew (1) 3" x 18 ½" Fabric E strip to the right side of the Unit 3 square to make (1) 18 ½" Block One square (Diagram 4). Repeat to make (5) Block One squares total.






Repeat Steps 1-4 and refer to Diagram 5 for fabric identification, placement and orientation to make
 (7) 18 ½" Block Two squares total.



**6.** Sew together (4) 2" Fabric F squares and (3) 2" x 18 ½" Fabric G strips, end to end and alternating them from left to right, to make (1) Block Three strip (Diagram 6). Repeat to make (5) Block Three strips total.



- 7. Sew together (1) 2" x 18 ½" Fabric G strip, (1) Block One square, (1) 2" x 18 ½" Fabric G strip, (1) Block Two square, (1) 2" x 18 ½" Fabric G strip, (1) Block Two square and (1) 2" x 18 ½" Fabric G strip, in that order from left to right, to make Row One (Diagram 7 on Page 4).
- 8. Repeat Step 7 and refer to Diagram 7 on Page 4 for component identification, placement and orientation to make Row Two, Row Three and Row Four.
- 9. Sew together the (5) Block Three strips and (4) pieced rows in numerical order, lengthwise and alternating them from top to bottom, to make the 60 ½" x 80" Center Block (Diagram 7 on Page 4).


#### Quilt Top Assembly (Blue Version)


(Refer to the Quilt Layout when assembling the quilt top.)

**10.** Sew (1) 5" x 80" Fabric H strip to each side of the Center Block. Sew (1) 5" x 69  $\frac{1}{2}$ " Fabric H strip to the top and bottom of the Center Block to make the quilt top.

### Finishing the Quilt (Blue Version)

- 11. Layer and quilt as desired.
- **12.** Sew the (9) binding strips together, end to end with a 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 13. Bind as desired.





Quilt Layout (Blue Version)


### Making the Quilt (White Version)

Note: The arrows in diagrams represent the WOF fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.


#### 14. Block Assembly


Sew (1) 2" x 10" Fabric B strip to the bottom of (1) 10" Fabric A square. Sew (1) 2" x 11  $\frac{1}{2}$ " Fabric B strip to the right side of the Fabric A square to make (1) 11  $\frac{1}{2}$ " Unit 4 square (Diagram 8). Repeat to make (5) Unit 4 squares total.

**15.** Sew (1) 2 ½" x 11 ½" Fabric C strip to the bottom of (1) Unit 4 square. Sew (1) 2 ½" x 13 ½" Fabric C strip to the right side of the Unit 4 square to make (1) 13 ½" Unit 5 square (Diagram 9). Repeat to make (5) Unit 5 squares total.




- **16.** Sew (1) 3" x 13 ½" Fabric D strip to the bottom of (1) Unit 5 square. Sew (1) 3" x 16" Fabric D strip to the right side of the Unit 5 square to make (1) 16" Unit 6 square (Diagram 10). Repeat to make (5) Unit 6 squares total.
- 17. Sew (1) 3" x 16" Fabric E strip to the bottom of (1) Unit 6 square. Sew (1) 3" x 18 ½" Fabric E strip to the right side of the Unit 6 square to make (1) 18 ½" Block Four square (Diagram 11). Repeat to make (5) Block Four squares total.






**18.** Repeat Steps 14-17 and refer to Diagram 12 for fabric identification, placement and orientation to make (7) 18 ½" Block Five squares total.



**19.** Sew together (4) 2" Fabric F squares and (3) 2" x 18 ½" Fabric G strips, end to end and alternating them from left to right, to make (1) Block Six strip (Diagram 13). Repeat to make (5) Block Six strips total.



- **20.** Sew together (1) 2" x 18 ½" Fabric G strip, (1) Block Four square, (1) 2" x 18 ½" Fabric G strip, (1) Block Five square, (1) 2" x 18 ½" Fabric G strip, (1) Block Five square and (1) 2" x 18 ½" Fabric G strip, in that order from left to right, to make Row One (Diagram 14 on Page 6).
- **21.** Repeat Step 20 and refer to Diagram 14 on Page 6 for component identification, placement and orientation to make Row Two, Row Three and Row Four.
- **22.** Sew together the (5) Block Six strips and (4) pieced rows in numerical order, lengthwise and alternating them from top to bottom, to make the 60 ½" x 80" Center Block (Diagram 14 on Page 6).


#### Quilt Top Assembly (White Version)


(Refer to the Quilt Layout when assembling the quilt top.)

**23.** Sew (1) 5" x 80" Fabric H strip to each side of the Center Block. Sew (1) 5" x 69  $\frac{1}{2}$ " Fabric G strip to the top and bottom of the Center Block to make the quilt top.

## Finishing the Quilt (White Version)

- 24. Layer and quilt as desired.
- **25.** Sew the (9) binding strips together, end to end with a 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 26. Bind as desired.





Quilt Layout (White Version)

# Deep Blue Sea


Sarah Maxwell



# **Blue Version Fabric Requirements**



Bolts needed to cut project kits: 15 yds = 1 bolt




# Deep Blue Sea

Sarah Maxwell



# White Version Fabric Requirements



Bolts needed to cut project kits: 15 yds = 1 bolt

