Nevermore ANDOVER FABRICS





Free Pattern Download Available

1384 Broadway, 24th Floor, New York, NY 10018 Tel. (800) 223-5678 • andoverfabrics.com

Introducing Andover Fabrics new collection: **NEVERMORE** by Andover Fabrics Quilt Projects designed by Janet Houts

Quilt: 66" x 66"

Table Runner: 13" x 62" Small Quilt: 26" x 49" Placemat: 13" x 18" This striking wall quilt pays tribute to Halloween, but the prints are so subtle that you can make it as an homage to Autumn. Off-center Log Cabin blocks and easy Flying Geese make this a sure-fire winner. Additional projects will make your homage even more fun.

Fabric Requirements					
Yardage Fabric					
Fabric A	blocks	fat ¼	1075-C		
Fabric B	blocks	fat ¼	1075-L		
Fabric C	blocks	fat ¼	1075-O		
Fabric D	blocks	½ yard	1076-L		
Fabric E	blocks	½ yard	1076-O		
Fabric F	blocks	½ yard	1077-K		
Fabric G	blocks	¾ yard	1077-L		
Fabric H	blocks	fat ¼	1077-O		
Fabric I	blocks	½ yard	1078-K		
Fabric J	blocks	% yard	1079-C		
Fabric K	blocks	fat ¼	1079-L		
Fabric L	blocks	fat ¼	1079-0		
Fabric M	blocks	% yard	1080-C		
Fabric N	blocks	¾ yard	1081-K		
Fabric O	blocks	½ yard	1081-L		
Fabric P	blocks	½ yard	1081-O		
Fabric Q	blocks	¾ yard	1082-C		
Fabric R	sashes	1 yard	1082-L		
Fabric S	blocks	½ yard	1082-O		
Binding		½ yard	1078-O		
Backing		4⅓ yards	1081-L		
The above	The above yardage is sufficient to make				
all the projects, with these additions:					
Fabric N	Table Runner: ¼ yard				
	Small Quilt: ¼ yard				
	4 Placemats: 3/8 yard				
Fabric R	Table Runner: fat 1/8				
	Small Quilt: ¾ yard				
	4 Placemats: fat 1/8				
Binding (1078-0)					
Table Runner: ¾ yard					
	Small Quilt: ¾ yard				
4 Placemats: ½ yard					
Backing (1081-L)					
Table Runner: 1 yard					
	Small Quilt: 1¾ yards				
	4 Placemats: 1¾ yards				

Cutting Directions for 66" x 66" Quilt

Note: Read assembly directions before cutting patches. All measurements are cut sizes and include ¼" seam allowances. A fat ¼ is an 18" x 20"-22" cut. Borders and sashes are cut the exact lengths required plus ¼" seam allowances. WOF designates the width of fabric from selvedge (approximately 42" wide).

Fabric A Cut (4) squares 5½"

Fabric B Cut (1) square 10\%"

Fabric C Cut (4) rectangles 5½" x 10½"

Fabric D Cut (4) rectangles 5½" x 10½"

Fabric E Cut (4) rectangles 5½" x 10½"

Cut (4) squares 6" for half-square triangles (HST)

Fabric F Cut (8) squares 5½"

Fabric G Cut (6) squares 6" for HST

Cut (12) squares 51/2"

Fabric H Cut (4) squares 6" for HST

Fabric I Cut (4) rectangles 2" x 15½"

Cut (12) rectangles 2" x 8"

Cut (20) rectangles $2'' \times 6\frac{1}{2}$ "

Fabric J Cut (4) rectangles 5½" x 10½"

Fabric K Cut (4) squares 5½"

Fabric L Cut (6) squares 6" for HST

Fabric M Cut (4) rectangles 1½" x 12½"

Cut (12) rectangles 1½" x 6½" Cut (20) rectangles 1½" x 5½"

Out (20) rectangles 1/2 x 5/2

Fabric N Cut (4) rectangles $2'' \times 20\%''$

Cut (12) rectangles $2'' \times 10\%''$ Cut (20) rectangles $2'' \times 9''$

Fabric O Cut (4) squares 6" for HST

Cut (4) squares 5½"

Fabric P Cut (8) squares 5½"

Fabric Q Cut (4) squares 6" for HST

Cut (8) squares 5½"

Fabric R Cut (14) strips 2" x WOF, pieced to

make the following: Cut (4) sashes 2" x 66\%"

Cut (4) sashes 2" x 201/2"

Cut (16) sashes 2" x 101/2"

Fabric S Cut (4) rectangles 1½" x 17½"

Cut (12) rectangles 1½" x 9" Cut (20) rectangles 1½" x 8"


Cut (20) rectangles 1/2 No


Binding Cut (7) strips 2½" x WOF for binding


Backing Cut (2) lengths 38" x 76", pieced to fit quilt top with overlap on all sides


Making the Quilt

- 1. The blocks are made with half-square triangles (HST). Draw a diagonal line on the wrong side of the Fabric G 6" squares. With right sides together, position a marked square on top of a Fabric L square. Stitch ¼" on each side of the diagonal line. (Diagram 1). Cut apart on the drawn line. Press the seam allowance toward the darker fabric. Trim the HST to 5½" square. Make 12 HST with G and L squares. Follow the directions to make 8 HST with Fabrics E and Q and 8 HST with Fabrics H and O. Trim all HST to 5½". Set aside.
- 2. Fast Flying Geese are used in this quilt. Draw a diagonal line on the wrong side of the Fabric G 5½" squares. Position a marked square as shown on one end of a Fabric E 5½" x 10½" rectangle (Diagram 2). Stitch on the marked diagonal line. Cut away the excess fabric. Press the corner up. Repeat this step on the opposite end of the rectangle (Diagram 3). The Flying Geese should measure 5½" x 10½". Make 4 Flying Geese with Fabrics E and G, 4 with Fabrics C and Q, and 4 with Fabrics J and P. Set aside.
- 3. The center block uses a quick stitch-and-flip technique. Draw a diagonal line on the Fabric O 5½" squares. Position a marked square as shown on one corner of a Fabric B 10½" square. Stitch on the marked diagonal line. Cut away the excess fabric. Press the corner up. Repeat this step on the opposite corner (Diagram 4). Repeat the steps on the remaining corners (Diagram 5). The Center Unit should measure 10½" square. Set aside.












- **4.** Refer to Block 1 diagram. Join the strips along 2 sides of the G/L half-square triangle in the order shown. The block should measure 10½" square. If it does not, adjust your stitching or pressing techniques. Make 12 Block 1.
- **5.** Refer to Block 2 diagram. Join the H/O half-square triangles with the Fabric A and Fabric K 5½" squares, rotating the HST as shown. Make 4 Block 2.
- **6.** Refer to Block 3 diagram. Join the strips along 3 sides of the E/G Flying Geese unit. Make 4 blocks like this.
- 7. Refer to Block 4 diagram. Sew Fabric F squares to ends of the C/Q Flying Geese unit. Sew E/Q half-square triangles to the ends of a Fabric D rectangle. Join the 2 halves, rotating the patches as shown. It should measure 10½" x 20½". Make 4 blocks like this.
- **8.** Refer to Block 5 diagram. Join the appropriate Flying Geese units to the Fabric G squares, and to the Center Unit as shown. Join the rows. The block should measure 20½" square.




Block 3 Make 4 for Big Quilt




Block 4
Make 4 for Big Quilt
Make 2 for Small Quilt



Block 1 Make 12 for Big Quilt



Block 2 Make 4 for Big Quilt Make 2 for Runner Make 1 for one Placemat




Make 1 for Small Quilt

9. Arrange the blocks into 5 horizontal rows as shown in the Quilt Assembly. Stand back or look through a camera to be certain the parts are rotated to form the overall design. Position Fabric R 10½" sashes between blocks in rows 1, 2, 4, and 5. Position Fabric R 20½" sashes between blocks in the middle row. Join the blocks and sashes to make the rows. Sew long Fabric R sashes between rows.

Finishing the Quilt

10. Layer the quilt with batting and backing and baste. Quilt in the ditch around sashes and patches. Quilt around the printed motifs as you wish. Bind to finish the quilt.



Quilt Assembly


Cutting Directions for 26" x 49" Quilt

- Fabric B Cut (1) square 10½"
- **Fabric C** Cut (2) rectangles 5½" x 10½"
- **Fabric D** Cut (2) rectangles 5½" x 10½"
- Fabric E Cut (2) squares 6" for half-square triangles (HST)
- **Fabric F** Cut (4) squares 5½"
- Fabric G Cut (4) squares 5½"
- **Fabric J** Cut (4) rectangles 5½" x 10½"
- Fabric N Cut (2) borders 2" x 46½"
 - Cut (2) borders 2" x 261/2"
- **Fabric O** Cut (4) squares 5½"
- **Fabric P** Cut (8) squares 5½"
- Fabric Q Cut (2) squares 6" for HST
 - Cut (4) squares 51/2"
- Fabric R Cut (2) borders 2" x 43\%"
 - Cut (2) borders 2" x 231/2"
 - Cut (2) sashes 2" x 201/2"
- **Binding** Cut (4) strips 2½" x WOF for binding
- Backing Cut (1) length 36" x 59"

Making the Small Quilt

- 1. The quilt is made with 2 Block 4 and 1 Block 5. Refer to the directions for the larger quilt to make the HST and other units required.
- 2. Refer to the Small Quilt diagram to join the blocks and Fabric R sashes to make the column.

- **3.** Sew Long Fabric R borders to the sides and shorter borders to the top and bottom. Repeat with Fabric N borders.
- **4.** Layer, baste, and quilt the small quilt. Bind to finish.



Small Quilt

Cutting Directions for 13" x 62" Table Runner

Fabric A	Cut ((2) sc	uares 5½"
rabitea	Out	ພາລເ	iuai co 0/2

Fabric D Cut (3) squares 5½"

Fabric E Cut (3) squares 6" for HST

Fabric F Cut (3) squares 5½"

Fabric H Cut (2) squares 6" for HST

Fabric K Cut (2) squares 5½"

Fabric N Cut (2) borders 2" x 59½"

Cut (2) borders 2" x 131/2"

Fabric O Cut (2) squares 6" for HST

Fabric Q Cut (3) squares 6" for HST

Fabric R Cut (6) sashes 2" x 10½"


Binding Cut (4) strips 2½" x WOF for binding

Backing Cut (2) lengths $20'' \times 35''$, pieced to fit

quilt top with overlap on all sides

Making the Table Runner


- 1. The quilt is made with 2 Block 2 and 3 Block 6. Refer to the directions for the larger quilt to make the HST and other units required.
- **2.** Refer to the Table Runner diagram to join the blocks and Fabric R sashes to make the column.
- **3.** Sew Long Fabric N borders to the sides and shorter borders to the top and bottom.
- **4.** Layer, baste, and quilt the runner. Bind to finish.




Block 6 Make 3 for Runner Make 1 for Placemat

Cutting for ONE 13" x 18" Placemat with Block 2

- Fabric A Cut (1) square 5½"
- **Fabric H** Cut (1) square 6" for HST
- **Fabric K** Cut (1) square 5½"
- Fabric O Cut (1) square 6" for HST
 - Cut (2) sashes 1½" x 10½"





Cutting for ONE 13" x 18" Placemat with Block 6

- **Fabric D** Cut (1) square 5½"
- Fabric E Cut (1) square 6" for HST
- **Fabric F** Cut (1) square 5½"
- **Fabric O** Cut (2) sashes 1½" x 10½"
- Fabric Q Cut (1) square 6" for HST

Placemats

Either Placemat

- Fabric N Cut (2) borders 2" x 181/2"
 - Cut (2) borders 2" x 101/2"
- **Fabric R** Cut (2) sashes 2" x 10½"
- **Binding** Cut (2) strips 2½" x WOF for binding
- Backing Cut (1) length 18" x 23"



R

Block 6

Block 2

Making the Placemats

- 1. One placemat is made with Block 2. The other placemat is made with Block 6. They have the same setting. Refer to the directions for the larger quilt to make the HST required. Refer to the appropriate block diagram to make each block. Make 2 of each block if you plan to make 4 placemats.
- 2. Refer to the Placemat diagram to sew Fabric O and Fabric R sashes to the sides of each block.
- **3.** Sew Fabric N borders to the sides and the top and bottom.
- **4.** Layer, baste, and quilt each placemat. Bind to finish.

Nevermore and over fabrics



*Indicates fabrics used in quilt pattern. Fabrics shown are 50% of actual size.

